



Sovereign Aquaject Super Concentrate

A water based concentrate specifically formulated as a chemical damp proof course injection fluid.



Product Code
30806607

Description

Sovereign Aquaject Super Concentrate gives all the benefits of regular Aquaject, but is now even more concentrated. This reduces packaging waste and transportation costs. It is a water based concentrate specifically formulated as a chemical Damp Proof Course injection fluid. It is a true solution of siloxane in water and when used as directed will match the performance of solvent-based systems. On injection into masonry, the siloxane will react with the atmosphere to form a water insoluble, water resistant treatment within 24 hours of application.

CE Marked.

Form Supplied: Clear Liquid Super Concentrate

Pack Size: 700 ml

Colour Range: Yellow, dries clear

Contains: Siloxane in water

BBA Certificate: 05/4251

Properties

Once diluted Sovereign Aquaject is non-hazardous, containing no solvents and of low alkalinity. The problem of persistent odour related to solvent-based DPC fluids is completely eliminated. This can be particularly important when injecting party walls.

When a Sovereign Approved Contractor carries out installation of a DPC using Aquaject, the work is eligible for the Sovereign 30 Year Protection Scheme Guarantee.



Sovereign Aquaject Super Concentrate

Technical
Data Sheet **334**

PREPARATION/USAGE

Remove internal skirting boards and salt contaminated plaster to at least 1 m above the DPC line or 300 mm beyond the last signs of damp, whichever is the highest. Holes should be drilled into the brick not more than 150 mm apart, and typically 2 holes per stretcher and 1 per header. Best results are obtained if holes are drilled at a slight downward angle, 10° - 15°.

USAGE

Ensure injection pump has been thoroughly washed out prior to using Sovereign Aquaject, especially if solvent-based fluids have previously been used. Add one container of Sovereign Aquaject Super Concentrate to 24.3 litres clean tap water, and run the pump for 2 - 3 minutes to thoroughly mix. Always add Sovereign Aquaject Super Concentrate to water, never add the other way round.

GENERAL

Once Sovereign Aquaject Super Concentrate has chemically reacted it is permanently fixed by a cross linking action within the substrate pores to form a water resistant barrier.

However, although Sovereign Aquaject Super Concentrate stops the passage of rising damp, it is not a vapour barrier and will still allow the wall to breathe.

New brickwork or mortar is highly alkaline and the normal delay period for injection is six months. This delay can be reduced to two months if Sovereign Aquaject is used. Any remaining concentrate or diluted material must be stored in airtight containers.

CLEAN UP

Wash pump, container and lances with clean water after each use. Spills and splashes should be cleaned up immediately with soapy water.

COVERAGE

- ✓ 4" brick-15 linear metres per 25 litres
- ✓ 9" brick-7.5 linear metres per 25 litres
- ✓ 13" brick-5.2 linear metres per 25 litres

Storage: Between 5°C - 30°C.

Shelf Life: 12 months unopened. Diluted material is stable for up to 6 months when kept in airtight containers.

HEALTH AND SAFETY

- ! Contains: Methyl alcohol, N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine, Methyltrimethoxysilane.
- ! Do not ingest or breath vapour.
- ! Wear protective clothing, if in contact with skin; wash with soapy water. May cause an allergic skin reaction.
- ! Highly flammable liquid and vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- ! Keep out of reach of children.
- ! In case of contact with eye rinse immediately with plenty of water and seek medical advice.
- ! Wear eye/face protection.



Health & safety information
available on request



Important Disclaimer

The information given is in good faith based on experience and usage, however all recommendations are made without warranty or guarantee, since the conditions of use are beyond our control. All goods are sold in accordance with our Conditions of Sale, copies of which are available on request. Customers are advised that product, techniques and codes of practice are under constant review and changes occur without notice. Please ensure you have the latest updated information.



Sovereign
the gold standard in building products

Sovereign Support: 01229 870800 | www.sovchem.co.uk

FIND US HERE

