



Sovereign

the gold standard in building products

Technical
Data Sheet **319**

Sovereign Woodworm Killer (BPR)

Sovereign Woodworm Killer^(BPR) is a concentrated micro-emulsion for the eradication and prevention of wood boring insect.



Product Code
30608948

Description

Sovereign Woodworm Killer(BPR) is a concentrated micro-emulsion for the eradication and prevention of wood boring insect attack in both hard and soft woods. It penetrates deeply and has a fast drying time.

Form Supplied: Liquid Concentrate

Pack Sizes: 1 litre

Colour Range: Dries clear

HSE Number: 10125

Contains: 62.5g/L Permethrin

Properties

Effective control of wood boring insects. Can be used on damp timber during the drying out process.

Preparation

Timbers to be treated should be clean and sound and the source of any dampness permanently cured. Timber must be bare, with all surface coating such as paint and varnish removed. Dust should also be removed, preferably by vacuuming that any coatings have been removed.



Sovereign Woodworm Killer (BPR)

Technical
Data Sheet **319**

GENERAL

Sovereign Woodworm Killer(BPR) must be diluted prior to use. A 1 litres should be diluted with water to make 25 litres of ready to use solution. Shake well before use. Always pour the concentrate into water, not the other way round. For best results the concentrate and water should be at room temperature. For both mixing and application the minimum temperature is 5°C.

GENERAL MAINTENANCE

Untreated timber should not be allowed to become damp. For long-term protection treated timber should not be subject to prolonged wetting. External timber must be protected with a waterproof coating such as a paint or stain.

APPLICATION

Sovereign Woodworm Killer(BPR) can be applied by brush or spray. When spraying use a low pressure, non-atomising pesticide sprayer. Ensure the correct coverage is achieved, as application of insufficient material may not prevent future attacks. The best way to achieve the correct coverage is to make an estimate of the TOTAL SURFACE AREA to be treated. The required quantity of diluted product should then be made to treat this area, which may take two applications depending on the porosity of the timber. When multiple applications are required to achieve the correct coverage then a drying time of 30 minutes between coats should be allowed.

APPLICATION RATE

Apply at a rate of 1 litre of diluted product per 3.3m² of timber surface for active attacks and 1 litre per 5m² as a preventative treatment.

CLEANING

Soap and water.

Storage: Between +5°C and 30°C.
Store concentrates and diluted products correctly labelled, in safe, secure conditions.

Shelf Life: 2 years when stored unopened as directed.

HEALTH & SAFETY

- ! In case of contact with eyes rinse immediately with plenty of water and seek medical advice.
- ! After contact with skin wash immediately with plenty of soap and water.
- ! Wear suitable protective clothing, goggles and eye/face protection.
- ! In case of accident or if you feel unwell seek medical advice immediately (show label if possible).



Health & safety information
available on request



Important Disclaimer

The information given is in good faith based on experience and usage, however all recommendations are made without warranty or guarantee, since the conditions of use are beyond our control. All goods are sold in accordance with our Conditions of Sale, copies of which are available on request. Customers are advised that product, techniques and codes of practice are under constant review and changes occur without notice. Please ensure you have the latest updated information.



Sovereign
the gold standard in building products

Sovereign Support: 01229 870800 | www.sovchem.co.uk

FIND US HERE

